

**California Marine Life Protection Act Initiative  
North Coast Study Region  
Consideration of Existing Marine Protected Areas in Sapphire Draft MPA Proposal 1  
Document Revised June 30, 2010**

<b>Existing MPA</b>	<b>Retain</b> (no changes to boundaries or regulations)	<b>Modify</b> (included with boundary or regulation change)	<b>Remove</b> (not included)	<b>Rationale for Decision</b>
Punta Gorda SMR			Remove	Two nearby new SMRs, do not need this MPA in addition to those MPAs.
MacKerricher SMCA		Modify boundaries and regulations. Replace with MacKerricher SMCA.		Cleaned up boundaries based on DFG feasibility guidance.
Point Cabrillo SMCA		Modify boundaries and regulations.		Cleaned up boundaries and added tribal uses and take of urchin to better meet needs of local communities.
Russian Gulch SMCA	Retain			
Van Damme SMCA	Retain			

SMP= State Marine Park, SMCA = State Marine Conservation Area, SMR = State Marine Reserve

**Reference Table 1.** Regulation summary for existing state MPAs in the north coast study region.

<b>MPA Name</b>	<b>Allowed Take: Recreational</b>	<b>Allowed Take: Commercial</b>	<b>Other Restrictions</b>
Punta Gorda SMR	Take of all living marine resources is prohibited.	Take of all living marine resources is prohibited.	Other restrictions exist regarding: swimming, boating, firearms, public entry, pesticides, herbicides and other regulated chemicals, litter, aircraft, pets, potential memorandums of understanding, and scientific research.
MacKerricher SMCA	Finfish, red abalone, chiones, clams, cockles, rock scallops, native oysters, crabs, lobster, ghost shrimp, sea urchins, mussels and marine worms except that no worms may be taken in any mussel bed unless taken incidentally to the take of mussels.	Finfish, crabs, ghost shrimp, jackknife clams, sea urchins, squid, algae except giant kelp and bull kelp and worms except that no worms may be taken in any mussel bed, nor may any person pick up, remove, detach from the substrate any other organisms, or break up, move or destroy any rocks or other substrate or surfaces to which organisms are attached.	None
Point Cabrillo SMCA	None	Finfish and marine aquatic plants.	None
Russian Gulch SMCA	Finfish, red abalone, chiones, clams, cockles, rock scallops, native oysters, crabs, lobster, ghost shrimp, sea urchins, mussels and marine worms except that no worms may be taken in any mussel bed unless taken incidentally to the take of mussels.	Finfish, crabs, ghost shrimp, jackknife clams, sea urchins, algae except giant kelp and bull kelp and worms except that no worms may be taken in any mussel bed, nor may any person pick up, remove, detach from the substrate any other organisms, or break up, move or destroy any rocks or other substrate or surfaces to which organisms are attached.	None
Van Damme SMCA	Finfish, red abalone, chiones, clams, cockles, rock scallops, native oysters, crabs, lobster, ghost shrimp, sea urchins, mussels and marine worms except that no worms may be taken in any mussel bed unless taken incidentally to the take of mussels.	Finfish, crabs, ghost shrimp, jackknife clams, sea urchins, algae except giant kelp and bull kelp and worms except that no worms may be taken in any mussel bed, nor may any person pick up, remove, detach from the substrate any other organisms, or break up, move or destroy any rocks or other substrate or surfaces to which organisms are attached.	None

**Reference Table 2.** Boundaries for existing state MPAs in the north coast study region.

MPA Name	Boundaries
Punta Gorda SMR	This area is bounded by the three-fathom inshore depth contour, the 30- fathom depth contour and the following points: 40o 16.43' N. lat. 124o 22.00' W. long.; 40o 16.43' N. lat. 124o 23.50' W. long.; 40o 14.83' N. lat. 124o 23.18' W. long.; and 40o 15.23' N. lat. 124o 21.62' W. long.
MacKerricher SMCA	This area is bounded by the mean high tide line, the 3-fathom depth contour and the following points: 39o 29.81' N. lat. 123o 47.50' W. long.; 39o 29.95' N. lat. 123o 47.80' W. long.; 39o 27.62' N. lat. 123o 48.80' W. long.; and 39o 27.55' N. lat. 123o 48.52' W. long.
Point Cabrillo SMCA	This area is bounded by the mean high tide line, a distance of 1000 feet seaward of mean lower low water, and the following points: 39o 21.24' N. lat. 123o 49.25' W. long.; 39o 21.33' N. lat. 123o 49.64' W. long.; 39o 20.66' N. lat. 123o 49.68' W. long.; and 39o 20.57' N. lat. 123o 49.27' W. long.
Russian Gulch SMCA	This area is bounded by the mean high tide line, the 3-fathom depth contour and the following points: 39o 19.86' N. lat. 123o 48.84' W. long.; 39o 19.85' N. lat. 123o 48.89' W. long.; 39o 19.52' N. lat. 123o 48.46' W. long.; and 39o 19.52' N. lat. 123o 48.23' W. long.
Van Damme SMCA	This area is bounded by the mean high tide line, the 3-fathom depth contour and the following points: 39o 16.45' N. lat. 123o 47.60' W. long.; 39o 16.355' N. lat. 123o 47.60' W. long.; 39o 16.27' N. lat. 123o 47.545' W. long.; and 39o 16.27' N. lat. 123o 47.43' W. long.