

**Recreational Fishing Area Value Potentially Affected by MLPA Central Coast Package 1 (February 9, 2006 version)**

Prepared by Ecotrust

February 24, 2006

	<b>TOTALS</b>	<b>Ano Nuevo SMR</b>	<b>Greyhound Rock SMCA</b>	<b>Greyhound Rock SMR</b>	<b>Elkhorn Slough SMR</b>	<b>Moro Cojo Estuary SMR</b>	<b>Monterey Submarine Canyon No Bottom Contact SMCA</b>	<b>Ed Ricketts SMCA</b>
<b>Subregion</b>		Pigeon Point to Capitola	Pigeon Point to Capitola	Pigeon Point to Capitola	Capitola to Monterey Breakwater	Capitola to Monterey Breakwater	Capitola to Monterey Breakwater	Monterey Breakwater to Point Sur
<b>Type of MPA</b>		SMR	SMCA	SMR	SMR	SMR	SMCA	SMCA
<b>Level of Protection</b>		SMR	SMCA moderate	SMR + SMCA moderate	SMR	SMR	SMCA high	SMCA low
<b>Recreational Salmon Area Potentially Affected (sq. mi.)</b>	0.0543	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Percent of Total Recreational Salmon Area Potentially Affected</b>	0.01%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
<b>Recreational Salmon Trips Potentially Affected (based on proportion of affected area)</b>	0.2039	0.000	0.000	0.000	0.000	0.000	0.000	0.000
<b>Maximum Number of Salmon Trips Potentially Affected</b>	4	0	0	0	0	0	0	0
<b>Percent of Maximum Number of Salmon Trips Potentially Affected</b>	0.14%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
<b>Recreational Rockfish Area Potentially Affected (sq. mi.)</b>	17.5803	0.1357	1.6640	0.3973	0.0000	0.0000	1.1962	0.0000
<b>Percent of Total Recreational Rockfish Area Potentially Affected</b>	5.48%	0.04%	0.52%	0.12%	0.00%	0.00%	0.37%	0.00%
<b>Recreational Rockfish Trips Potentially Affected (based on proportion of affected area)</b>	90.3383	0.838	1.572	0.375	0.000	0.000	5.125	0.000
<b>Maximum Number of Rockfish Trips Potentially Affected</b>	269	25	2	1	0	0	6	0
<b>Percent of Maximum Number of Rockfish Trips Potentially Affected</b>	16.10%	1.50%	0.12%	0.06%	0.00%	0.00%	0.36%	0.00%

	<b>Square Miles</b>
<b>Total Recreational Salmon Grounds</b>	399.9675
<b>Total Recreational Rockfish Grounds</b>	320.9006

	<b>Salmon</b>	<b>Rockfish</b>
<b>Total Number of Trips</b>	2,944	1,671

SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

**Recreational Fishing Area Value Potentially Affected by MLPA Central Coast Package 1 (February 9, 2006 version)**  
**Prepared by Ecotrust**  
**February 24, 2006**

	<i>Hopkins SMR</i>	<i>Pacific Grove – Monterey SMCA</i>	<i>Carmel Pinnacles SMR</i>	<i>Carmel Bay SMCA</i>	<i>Pt. Lobos SMCA</i>	<i>Point Lobos SMR</i>	<i>Point Sur Deep Reef SMCA</i>	<i>Julia Pfeiffer Burns SMR</i>
<b>Subregion</b>	Monterey Breakwater to Point Sur	Monterey Breakwater to Point Sur	Monterey Breakwater to Point Sur	Monterey Breakwater to Point Sur	Monterey Breakwater to Point Sur	Monterey Breakwater to Point Sur	Point Sur to San Martin	Point Sur to San Martin
<b>Type of MPA</b>	SMR	SMCA	SMR	SMCA	SMCA	SMR	SMCA	SMR
<b>Level of Protection</b>	SMR	SMCA low	SMR	SMCA low	SMCA moderate	SMR	SMCA high	SMR
<b>Recreational Salmon Area Potentially Affected (sq. mi.)</b>	0.0543	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Percent of Total Recreational Salmon Area Potentially Affected</b>	0.01%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
<b>Recreational Salmon Trips Potentially Affected (based on proportion of affected area)</b>	0.204	0.000	0.000	0.000	0.000	0.000	0.000	0.000
<b>Maximum Number of Salmon Trips Potentially Affected</b>	4	0	0	0	0	0	0	0
<b>Percent of Maximum Number of Salmon Trips Potentially Affected</b>	0.14%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
<b>Recreational Rockfish Area Potentially Affected (sq. mi.)</b>	0.3118	0.0000	0.4680	0.0000	1.4160	2.5354	0.0000	0.0000
<b>Percent of Total Recreational Rockfish Area Potentially Affected</b>	0.10%	0.00%	0.15%	0.00%	0.44%	0.79%	0.00%	0.00%
<b>Recreational Rockfish Trips Potentially Affected (based on proportion of affected area)</b>	4.393	0.000	4.670	0.000	2.453	3.403	0.000	0.000
<b>Maximum Number of Rockfish Trips Potentially Affected</b>	30	0	19	0	6	6	0	0
<b>Percent of Maximum Number of Rockfish Trips Potentially Affected</b>	1.80%	0.00%	1.14%	0.00%	0.36%	0.36%	0.00%	0.00%

SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

**Recreational Fishing Area Value Potentially Affected by MLPA Central Coast Package 1 (February 9, 2006 version)**  
**Prepared by Ecotrust**  
**February 24, 2006**

	<i>Julia Pfeiffer Burns Offshore SMCA</i>	<i>Julia Pfeiffer Burns Offshore SMR</i>	<i>Big Creek SMR</i>	<i>Alder Creek SMR</i>	<i>Alder Creek SMCA</i>	<i>Point Piedras Blancas SMR</i>	<i>Cambria SMP</i>	<i>Morro Bay Harbor SMCA</i>
<b>Subregion</b>	Point Sur to San Martin	Point Sur to San Martin	Point Sur to San Martin	San Martin to Point Estero	San Martin to Point Estero	San Martin to Point Estero	San Martin to Pt Estero	Point Estero to Santa Maria River
<b>Type of MPA</b>	SMCA	SMR	SMR	SMR	SMCA	SMR	SMP	SMCA
<b>Level of Protection</b>	SMCA moderate	SMR	SMR	SMR	SMCA high	SMR	SMP low	SMCA low
<b>Recreational Salmon Area Potentially Affected (sq. mi.)</b>	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Percent of Total Recreational Salmon Area Potentially Affected</b>	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
<b>Recreational Salmon Trips Potentially Affected (based on proportion of affected area)</b>	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
<b>Maximum Number of Salmon Trips Potentially Affected</b>	0	0	0	0	0	0	0	0
<b>Percent of Maximum Number of Salmon Trips Potentially Affected</b>	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
<b>Recreational Rockfish Area Potentially Affected (sq. mi.)</b>	0.0000	0.0000	0.0000	0.2513	0.0025	0.3248	0.0000	0.0000
<b>Percent of Total Recreational Rockfish Area Potentially Affected</b>	0.00%	0.00%	0.00%	0.08%	0.00%	0.10%	0.00%	0.00%
<b>Recreational Rockfish Trips Potentially Affected (based on proportion of affected area)</b>	0.000	0.000	0.000	0.234	0.002	0.603	0.000	0.000
<b>Maximum Number of Rockfish Trips Potentially Affected</b>	0	0	0	1	1	2	0	0
<b>Percent of Maximum Number of Rockfish Trips Potentially Affected</b>	0.00%	0.00%	0.00%	0.06%	0.06%	0.12%	0.00%	0.00%

SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

**Recreational Fishing Area Value Potentially Affected by MLPA Central Coast Package 1 (February 9, 2006 version)**  
**Prepared by Ecotrust**  
**February 24, 2006**

	<b>Morro Bay South SMRMA</b>	<b>Point Buchon SMR</b>	<b>Point Buchon SMCA</b>	<b>Diablo Canyon Security Zone SMCA</b>	<b>Vandenberg SMR</b>	<b>Vandenberg Danger Zone 4 SMCA</b>
<b>Subregion</b>	Point Estero to Santa Maria River	Santa Maria River to Point Conception	Santa Maria River to Point Conception			
<b>Type of MPA</b>	SMRMA	SMR	SMCA	SMCA	SMR	SMCA
<b>Level of Protection</b>	SMCA high	SMR	SMCA high	SMCA high	SMR	SMCA moderate
<b>Recreational Salmon Area Potentially Affected (sq. mi.)</b>	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Percent of Total Recreational Salmon Area Potentially Affected</b>	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
<b>Recreational Salmon Trips Potentially Affected (based on proportion of affected area)</b>	0.000	0.000	0.000	0.000	0.000	0.000
<b>Maximum Number of Salmon Trips Potentially Affected</b>	0	0	0	0	0	0
<b>Percent of Maximum Number of Salmon Trips Potentially Affected</b>	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
<b>Recreational Rockfish Area Potentially Affected (sq. mi.)</b>	0.0000	1.3483	4.0584	3.0622	0.4085	0.0000
<b>Percent of Total Recreational Rockfish Area Potentially Affected</b>	0.00%	0.42%	1.26%	0.95%	0.13%	0.00%
<b>Recreational Rockfish Trips Potentially Affected (based on proportion of affected area)</b>	0.000	9.338	19.398	37.559	0.375	0.000
<b>Maximum Number of Rockfish Trips Potentially Affected</b>	0	44	60	65	1	0
<b>Percent of Maximum Number of Rockfish Trips Potentially Affected</b>	0.00%	2.63%	3.59%	3.89%	0.06%	0.00%

SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

**Recreational Fishing Area Value Potentially Affected by MLPA Central Coast Package 2 (February 9, 2006 version)**  
**Prepared by Ecotrust**  
**February 24, 2006**

	<b>TOTALS</b>	<b>Ano Nuevo SMR</b>	<b>Baldwin to Natural Bridges SMR</b>	<b>Elkhorn Slough SMR</b>	<b>Morro Cojo Estuary SMR</b>	<b>Soquel Canyon SMCA</b>	<b>Portuguese Ledge SMR</b>	<b>Edward C. Cooper SMR</b>	<b>Hopkins SMR</b>
<b>Subregion</b>		Pigeon Point to Capitola	Pigeon Point to Capitola	Capitola to Monterey Breakwater	Monterey Breakwater to Point Sur	Monterey Breakwater to Point Sur			
<b>Type of MPA</b>		SMR	SMR	SMR	SMR	SMCA	SMR	SMR	SMR
<b>Level of Protection</b>		SMR + SMCA moderate	SMR	SMR	SMR	SMCA high	SMR	SMR	SMR
<b>Recreational Salmon Area Potentially Affected (sq. mi.)</b>	9.6816	0.9923	0.0000	0.0000	0.0000	0.0000	3.3170	0.0257	0.0673
<b>Percent of Total Recreational Salmon Area Potentially Affected</b>	2.42%	0.25%	0.00%	0.00%	0.00%	0.00%	0.83%	0.01%	0.02%
<b>Recreational Salmon Trips Potentially Affected (based on proportion of affected area)</b>	25.372	6.297	0.000	0.000	0.000	0.000	3.326	0.097	0.253
<b>Maximum Number of Salmon Trips Potentially Affected</b>	79	12	0	0	0	0	9	4	4
<b>Percent of Maximum Number of Salmon Trips Potentially Affected</b>	2.68%	0.41%	0.00%	0.00%	0.00%	0.00%	0.31%	0.14%	0.14%
<b>Recreational Rockfish Area Potentially Affected (sq. mi.)</b>	43.5161	3.9263	0.0000	0.0000	0.0000	3.3676	1.9352	0.2039	0.3515
<b>Percent of Total Recreational Rockfish Area Potentially Affected</b>	13.56%	1.22%	0.00%	0.00%	0.00%	1.05%	0.60%	0.06%	0.11%
<b>Recreational Rockfish Trips Potentially Affected (based on proportion of affected area)</b>	191.166	15.904	0.000	0.000	0.000	4.020	5.459	1.534	4.953
<b>Maximum Number of Rockfish Trips Potentially Affected</b>	487	32	0	0	0	5	6	22	30
<b>Percent of Maximum Number of Rockfish Trips Potentially Affected</b>	29.14%	1.92%	0.00%	0.00%	0.00%	0.30%	0.36%	1.32%	1.80%

**"Intertidal" MPAs**

	<b>Square Miles</b>
<b>Total Recreational Salmon Grounds</b>	399.9675
<b>Total Recreational Rockfish Grounds</b>	320.9006

  

	<b>Salmon</b>	<b>Rockfish</b>
<b>Total Number of Trips</b>	2,944	1,671

SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

**Recreational Fishing Area Value Potentially Affected by MLPA Central Coast Package 2 (February 9, 2006 version)**  
**Prepared by Ecotrust**  
**February 24, 2006**

	<i>Pacific Grove SMCA</i>	<i>Asilomar SMR</i>	<i>Carmel Pinnacles SMR</i>	<i>Carmel Bay SMCA</i>	<i>Point Lobos SMR</i>	<i>Point Lobos SMCA</i>	<i>Point Sur SMR</i>	<i>Julia Pfeiffer Burns SMR</i>
<b>Subregion</b>	Monterey Breakwater to Point Sur	Point Sur to San Martin	Point Sur to San Martin					
<b>Type of MPA</b>	SMCA	SMR	SMR	SMCA	SMR	SMCA	SMR	SMR
<b>Level of Protection</b>	SMCA low	SMR	SMR	SMCA low	SMR	SMCA moderate	SMR	SMR
<b>Recreational Salmon Area Potentially Affected (sq. mi.)</b>	0.0000	0.8352	0.0605	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Percent of Total Recreational Salmon Area Potentially Affected</b>	0.00%	0.21%	0.02%	0.00%	0.00%	0.00%	0.00%	0.00%
<b>Recreational Salmon Trips Potentially Affected (based on proportion of affected area)</b>	0.000	10.301	0.059	0.000	0.000	0.000	0.000	0.000
<b>Maximum Number of Salmon Trips Potentially Affected</b>	0	35	9	0	0	0	0	0
<b>Percent of Maximum Number of Salmon Trips Potentially Affected</b>	0.00%	1.19%	0.31%	0.00%	0.00%	0.00%	0.00%	0.00%
<b>Recreational Rockfish Area Potentially Affected (sq. mi.)</b>	0.0000	0.8548	1.2452	0.0000	2.9904	1.8227	0.2803	0.0000
<b>Percent of Total Recreational Rockfish Area Potentially Affected</b>	0.00%	0.27%	0.39%	0.00%	0.93%	0.57%	0.09%	0.00%
<b>Recreational Rockfish Trips Potentially Affected (based on proportion of affected area)</b>	0.000	15.020	13.472	0.000	4.328	2.827	0.525	0.000
<b>Maximum Number of Rockfish Trips Potentially Affected</b>	0	101	52	0	6	6	2	0
<b>Percent of Maximum Number of Rockfish Trips Potentially Affected</b>	0.00%	6.04%	3.11%	0.00%	0.36%	0.36%	0.12%	0.00%

**"Intertidal" MPAs**

**Recreational Fishing Area Value Potentially Affected by MLPA Central Coast Package 2 (February 9, 2006 version)**  
**Prepared by Ecotrust**  
**February 24, 2006**

	<i>Big Creek SMR</i>	<i>Big Creek SMCA</i>	<i>Piedras Blancas SMR</i>	<i>Cambria SMP</i>	<i>Ken Norris SMR</i>	<b>Estero Bluff SMR</b>	<i>Morro Bay SMCA</i>	<i>Morro Bay East SMR</i>
<b>Subregion</b>	Point Sur to San Martin	Point Sur to San Martin	San Martin to Point Estero	San Martin to Point Estero	San Martin to Point Estero	Point Estero to Santa Maria River	Point Estero to Santa Maria River	Point Estero to Santa Maria River
<b>Type of MPA</b>	SMR	SMCA	SMR	SMP	SMR	SMR	SMCA	SMR
<b>Level of Protection</b>	SMR	SMCA moderate	SMR	SMP low	SMR + SMCA low	SMR	SMCA low	SMR
<b>Recreational Salmon Area Potentially Affected (sq. mi.)</b>	0.0000	0.0000	0.0000	0.0000	1.0762	0.0000	0.0000	0.0000
<b>Percent of Total Recreational Salmon Area Potentially Affected</b>	0.00%	0.00%	0.00%	0.00%	0.27%	0.00%	0.00%	0.00%
<b>Recreational Salmon Trips Potentially Affected (based on proportion of affected area)</b>	0.000	0.000	0.000	0.000	0.997	0.000	0.000	0.000
<b>Maximum Number of Salmon Trips Potentially Affected</b>	0	0	0	0	1	0	0	0
<b>Percent of Maximum Number of Salmon Trips Potentially Affected</b>	0.00%	0.00%	0.00%	0.00%	0.03%	0.00%	0.00%	0.00%
<b>Recreational Rockfish Area Potentially Affected (sq. mi.)</b>	0.0000	0.0000	8.9933	0.0000	3.8824	0.0000	0.0000	0.0000
<b>Percent of Total Recreational Rockfish Area Potentially Affected</b>	0.00%	0.00%	2.80%	0.00%	1.21%	0.00%	0.00%	0.00%
<b>Recreational Rockfish Trips Potentially Affected (based on proportion of affected area)</b>	0.000	0.000	15.301	0.000	11.558	0.000	0.000	0.000
<b>Maximum Number of Rockfish Trips Potentially Affected</b>	0	0	17	0	19	0	0	0
<b>Percent of Maximum Number of Rockfish Trips Potentially Affected</b>	0.00%	0.00%	1.02%	0.00%	1.14%	0.00%	0.00%	0.00%

**"Intertidal" MPAs**

**Recreational Fishing Area Value Potentially Affected by MLPA Central Coast Package 2 (February 9, 2006 version)**  
**Prepared by Ecotrust**  
*February 24, 2006*

	<i>Morro Bay SMRMA</i>	<i>Point Buchon SMR</i>	<i>Point Buchon SMCA</i>	<i>Purisma Point SMR</i>	<i>Point Arguello SMR</i>
<b>Subregion</b>	Point Estero to Santa Maria River	Point Estero to Santa Maria River	Point Estero to Santa Maria River	Santa Maria River to Point Conception	Santa Maria River to Point Conception
<b>Type of MPA</b>	SMRMA	SMR	SMCA	SMR	SMR
<b>Level of Protection</b>	SMCA high	SMR	SMCA high	SMR	SMR
<b>Recreational Salmon Area Potentially Affected (sq. mi.)</b>	0.0000	3.3074	0.0000	0.0000	0.0000
<b>Percent of Total Recreational Salmon Area Potentially Affected</b>	0.00%	0.83%	0.00%	0.00%	0.00%
<b>Recreational Salmon Trips Potentially Affected (based on proportion of affected area)</b>	0.000	4.043	0.000	0.000	0.000
<b>Maximum Number of Salmon Trips Potentially Affected</b>	0	5	0	0	0
<b>Percent of Maximum Number of Salmon Trips Potentially Affected</b>	0.00%	0.17%	0.00%	0.00%	0.00%
<b>Recreational Rockfish Area Potentially Affected (sq. mi.)</b>	0.0000	7.7937	4.0870	1.7818	0.0000
<b>Percent of Total Recreational Rockfish Area Potentially Affected</b>	0.00%	2.43%	1.27%	0.56%	0.00%
<b>Recreational Rockfish Trips Potentially Affected (based on proportion of affected area)</b>	0.000	79.251	15.058	1.957	0.000
<b>Maximum Number of Rockfish Trips Potentially Affected</b>	0	128	57	4	0
<b>Percent of Maximum Number of Rockfish Trips Potentially Affected</b>	0.00%	7.66%	3.41%	0.24%	0.00%

**"Intertidal" MPAs**

**Recreational Fishing Area Value Potentially Affected by MLPA Central Coast Package 3 (February 9, 2006 version)**

Prepared by Ecotrust

February 24, 2006

	<b>TOTALS</b>	<b>Ano Nuevo SMR</b>	<b>Natural Bridges Intertidal SMR</b>	<b>Opal Cliffs SMP</b>	<b>Eikhorn SMR</b>	<b>Moro Cojo SMR</b>	<b>Soquel Canyon SMCA</b>	<b>Portuguese Ledge SMCA</b>	<b>Ed Ricketts SMCA</b>
<b>Subregion</b>		Pigeon Point to Capitola	Pigeon Point to Capitola	Pigeon Point to Capitola	Capitola to Monterey Breakwater	Monterey Breakwater to Point Sur			
<b>Type of MPA</b>		SMR	SMR	SMP	SMR	SMR	SMCA	SMCA	SMCA
<b>Level of Protection</b>		SMR + SMCA moderate	SMR	SMP low	SMR	SMR	SMCA moderate	SMCA high	SMCA low
<b>Recreational Salmon Area Potentially Affected (sq. mi.)</b>	3.7232	0.9923	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0261
<b>Percent of Total Recreational Salmon Area Potentially Affected</b>	0.93%	0.25%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.01%
<b>Recreational Salmon Trips Potentially Affected (based on proportion of affected area)</b>	18.681	6.297	0.000	0.000	0.000	0.000	0.000	0.000	0.098
<b>Maximum Number of Salmon Trips Potentially Affected</b>	69	12	0	0	0	0	0	0	4
<b>Percent of Maximum Number of Salmon Trips Potentially Affected</b>	2.34%	0.41%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.14%
<b>Recreational Rockfish Area Potentially Affected (sq. mi.)</b>	42.9097	3.9061	0.0000	0.0000	0.0000	0.0000	3.3676	1.9352	0.2040
<b>Percent of Total Recreational Rockfish Area Potentially Affected</b>	13.37%	1.22%	0.00%	0.00%	0.00%	0.00%	1.05%	0.60%	0.06%
<b>Recreational Rockfish Trips Potentially Affected (based on proportion of affected area)</b>	176.000	15.501	0.000	0.000	0.000	0.000	4.020	5.459	1.537
<b>Maximum Number of Rockfish Trips Potentially Affected</b>	479	32	0	0	0	0	5	6	22
<b>Percent of Maximum Number of Rockfish Trips Potentially Affected</b>	28.67%	1.92%	0.00%	0.00%	0.00%	0.00%	0.30%	0.36%	1.32%

**"Intertidal" MPAs**

	<b>Square Miles</b>
<b>Total Recreational Salmon Grounds</b>	399.9675
<b>Total Recreational Rockfish Grounds</b>	320.9006

	<b>Salmon</b>	<b>Rockfish</b>
<b>Total Number of Trips</b>	2,944	1,671

SMCA = state marine conservation area    SMP = state marine park    SMR = state marine reserve    SMRMA = state marine recreational management area

**Recreational Fishing Area Value Potentially Affected by MLPA Central Coast Package 3 (February 9, 2006 version)**  
**Prepared by Ecotrust**  
**February 24, 2006**

	<i>Hopkins SMR</i>	<i>Pacific Grove SMCA</i>	<i>Pacific Grove SMR</i>	<i>Pinnacles SMR</i>	<i>Carmel Bay SMCA</i>	<i>Point Lobos SMR</i>	<i>Point Lobos SMCA</i>	<i>Point Sur SMR</i>
<b>Subregion</b>	Monterey Breakwater to Point Sur	Point Sur to San Martin						
<b>Type of MPA</b>	SMR	SMCA	SMR	SMR	SMCA	SMR	SMCA	SMR
<b>Level of Protection</b>	SMR	SMCA low	SMR	SMR	SMCA low	SMR	SMCA moderate	SMR
<b>Recreational Salmon Area Potentially Affected (sq. mi.)</b>	0.0699	0.0000	0.8274	0.0614	0.0000	0.0000	0.0000	0.0000
<b>Percent of Total Recreational Salmon Area Potentially Affected</b>	0.02%	0.00%	0.21%	0.02%	0.00%	0.00%	0.00%	0.00%
<b>Recreational Salmon Trips Potentially Affected (based on proportion of affected area)</b>	0.262	0.000	10.053	0.070	0.000	0.000	0.000	0.000
<b>Maximum Number of Salmon Trips Potentially Affected</b>	4	0	35	9	0	0	0	0
<b>Percent of Maximum Number of Salmon Trips Potentially Affected</b>	0.14%	0.00%	1.19%	0.31%	0.00%	0.00%	0.00%	0.00%
<b>Recreational Rockfish Area Potentially Affected (sq. mi.)</b>	0.3273	0.0000	0.8274	0.8441	0.0000	1.3693	2.4994	0.3287
<b>Percent of Total Recreational Rockfish Area Potentially Affected</b>	0.10%	0.00%	0.26%	0.26%	0.00%	0.43%	0.78%	0.10%
<b>Recreational Rockfish Trips Potentially Affected (based on proportion of affected area)</b>	4.612	0.000	15.125	8.954	0.000	2.357	3.271	0.615
<b>Maximum Number of Rockfish Trips Potentially Affected</b>	30	0	92	44	0	6	6	2
<b>Percent of Maximum Number of Rockfish Trips Potentially Affected</b>	1.80%	0.00%	5.51%	2.63%	0.00%	0.36%	0.36%	0.12%

**"Intertidal" MPAs**

**Recreational Fishing Area Value Potentially Affected by MLPA Central Coast Package 3 (February 9, 2006 version)**  
**Prepared by Ecotrust**  
**February 24, 2006**

	<i>Point Sur SMCA</i>	<i>Expanded Big Creek SMR</i>	<i>Piedras Blancas SMR</i>	<i>Piedras Blancas SMCA</i>	<i>Cambria SMP</i>	<i>Cambria SMR</i>	<i>Estero Bluff SMP</i>	<i>Morro Bay SMCA</i>
<b>Subregion</b>	Point Sur to San Martin	Point Sur to San Martin	San Martin to Point Estero	San Martin to Point Estero	San Martin to Point Estero	San Martin to Point Estero	Point Estero to Santa Maria River	Point Estero to Santa Maria River
<b>Type of MPA</b>	SMCA	SMR	SMR	SMCA	SMP	SMR	SMP	SMCA
<b>Level of Protection</b>	SMCA high	SMR	SMR	SMCA high	SMP low	SMR + SMCA Low	SMP low	SMCA low
<b>Recreational Salmon Area Potentially Affected (sq. mi.)</b>	0.0000	0.0000	0.0000	0.0000	0.0000	0.5027	0.0000	0.0000
<b>Percent of Total Recreational Salmon Area Potentially Affected</b>	0.00%	0.00%	0.00%	0.00%	0.00%	0.13%	0.00%	0.00%
<b>Recreational Salmon Trips Potentially Affected (based on proportion of affected area)</b>	0.000	0.000	0.000	0.000	0.000	0.466	0.000	0.000
<b>Maximum Number of Salmon Trips Potentially Affected</b>	0	0	0	0	0	1	0	0
<b>Percent of Maximum Number of Salmon Trips Potentially Affected</b>	0.00%	0.00%	0.00%	0.00%	0.00%	0.03%	0.00%	0.00%
<b>Recreational Rockfish Area Potentially Affected (sq. mi.)</b>	0.0000	0.0000	6.1010	2.7150	0.0000	1.3405	0.0000	0.0000
<b>Percent of Total Recreational Rockfish Area Potentially Affected</b>	0.00%	0.00%	1.90%	0.85%	0.00%	0.42%	0.00%	0.00%
<b>Recreational Rockfish Trips Potentially Affected (based on proportion of affected area)</b>	0.000	0.000	12.204	2.677	0.000	3.749	0.000	0.000
<b>Maximum Number of Rockfish Trips Potentially Affected</b>	0	0	16	6	0	9	0	0
<b>Percent of Maximum Number of Rockfish Trips Potentially Affected</b>	0.00%	0.00%	0.96%	0.36%	0.00%	0.54%	0.00%	0.00%

**"Intertidal" MPAs**

**Recreational Fishing Area Value Potentially Affected by MLPA Central Coast Package 3 (February 9, 2006 version)**  
**Prepared by Ecotrust**  
*February 24, 2006*

	<b>Morro Bay South SMRMA</b>	<b>Morro Bay East SMR</b>	<b>Point Buchon SMR</b>	<b>Point Buchon SMCA</b>	<b>Point Sal SMR</b>	<b>Vandenberg SMR</b>
<b>Subregion</b>	Point Estero to Santa Maria River	Santa Maria River to Point Conception	Santa Maria River to Point Conception			
<b>Type of MPA</b>	SMRMA	SMR	SMR	SMCA	SMR	SMR
<b>Level of Protection</b>	SMCA high	SMR	SMR	SMCA low	SMR	SMR
<b>Recreational Salmon Area Potentially Affected (sq. mi.)</b>	0.0000	0.0000	1.2435	0.0000	0.0000	0.0000
<b>Percent of Total Recreational Salmon Area Potentially Affected</b>	0.00%	0.00%	0.31%	0.00%	0.00%	0.00%
<b>Recreational Salmon Trips Potentially Affected (based on proportion of affected area)</b>	0.000	0.000	1.434	0.000	0.000	0.000
<b>Maximum Number of Salmon Trips Potentially Affected</b>	0	0	4	0	0	0
<b>Percent of Maximum Number of Salmon Trips Potentially Affected</b>	0.00%	0.00%	0.14%	0.00%	0.00%	0.00%
<b>Recreational Rockfish Area Potentially Affected (sq. mi.)</b>	0.0000	0.0000	3.4796	6.0773	7.5872	0.0000
<b>Percent of Total Recreational Rockfish Area Potentially Affected</b>	0.00%	0.00%	1.08%	1.89%	2.36%	0.00%
<b>Recreational Rockfish Trips Potentially Affected (based on proportion of affected area)</b>	0.000	0.000	44.979	36.964	13.978	0.000
<b>Maximum Number of Rockfish Trips Potentially Affected</b>	0	0	94	95	14	0
<b>Percent of Maximum Number of Rockfish Trips Potentially Affected</b>	0.00%	0.00%	5.63%	5.69%	0.84%	0.00%

**"Intertidal" MPAs**

**Recreational Fishing Area Value Potentially Affected by MLPA Central Coast Package S (February 22, 2006 version)**  
**Prepared by Ecotrust**  
**February 24, 2006**

	<b>TOTALS</b>	<b>Ano Nuevo SMR</b>	<b>Natural Bridges SMR</b>	<b>Elkhorn Slough SMR</b>	<b>Moro Cojo Slough SMR</b>	<b>Soquel Canyon SMCA</b>	<b>Portuguese Ledge SMCA</b>	<b>Ed Ricketts SMCA</b>	<b>Hopkins SMR</b>
<b>Subregion</b>		Pigeon Point to Capitola	Pigeon Point to Capitola	Capitola to Monterey Breakwater	Monterey Breakwater to Point Sur	Monterey Breakwater to Point Sur			
<b>Type of MPA</b>		SMR	SMR	SMR	SMR	SMCA	SMCA	SMCA	SMR
<b>Level of Protection</b>		SMR + SMCA moderate	SMR	SMR	SMR	SMCA high	SMCA high	SMCA low	SMR
<b>Recreational Salmon Area Potentially Affected (sq. mi.)</b>	4.5147	1.1353	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.1760
<b>Percent of Total Recreational Salmon Area Potentially Affected</b>	1.13%	0.28%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.04%
<b>Recreational Salmon Trips Potentially Affected (based on proportion of affected area)</b>	12.352	7.783	0.000	0.000	0.000	0.000	0.000	0.000	0.661
<b>Maximum Number of Salmon Trips Potentially Affected</b>	30	12	0	0	0	0	0	0	4
<b>Percent of Maximum Number of Salmon Trips Potentially Affected</b>	1.02%	0.41%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.14%
<b>Recreational Rockfish Area Potentially Affected (sq. mi.)</b>	37.8847	4.7395	0.0000	0.0000	0.0000	3.5092	1.9335	0.0000	0.4461
<b>Percent of Total Recreational Rockfish Area Potentially Affected</b>	11.81%	1.48%	0.00%	0.00%	0.00%	1.09%	0.60%	0.00%	0.14%
<b>Recreational Rockfish Trips Potentially Affected (based on proportion of affected area)</b>	156.033	23.378	0.000	0.000	0.000	4.214	5.454	0.000	6.286
<b>Maximum Number of Rockfish Trips Potentially Affected</b>	351	36	0	0	0	5	6	0	30
<b>Percent of Maximum Number of Rockfish Trips Potentially Affected</b>	21.01%	2.15%	0.00%	0.00%	0.00%	0.30%	0.36%	0.00%	1.80%

**"Intertidal" MPAs**

	<b>Square Miles</b>	
<b>Total Recreational Salmon Grounds</b>	399.9675	
<b>Total Recreational Rockfish Grounds</b>	320.9006	
	<b>Salmon</b>	<b>Rockfish</b>
<b>Total Number of Trips</b>	2,944	1,671

SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

**Recreational Fishing Area Value Potentially Affected by MLPA Central Coast Package S (February 22, 2006 version)**  
**Prepared by Ecotrust**  
**February 24, 2006**

	<b>Pacific Grove SMCA</b>	<b>Carmel Pinnacles SMR</b>	<b>Carmel Bay SMCA</b>	<b>Point Lobos SMR</b>	<b>Point Lobos SMCA</b>	<b>Point Sur SMR</b>	<b>Point Sur SMCA</b>	<b>Julia Pfeffer Burns SMR</b>
<b>Subregion</b>	Monterey Breakwater to Point Sur	Point Sur to San Martin	Point Sur to San Martin	Point Sur to San Martin				
<b>Type of MPA</b>	SMCA	SMR	SMCA	SMR	SMCA	SMR	SMCA	SMR
<b>Level of Protection</b>	SMCA low	SMR	SMCA low	SMR	SMCA moderate	SMR	SMCA high	SMR
<b>Recreational Salmon Area Potentially Affected (sq. mi.)</b>	0.0000	0.0614	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Percent of Total Recreational Salmon Area Potentially Affected</b>	0.00%	0.02%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
<b>Recreational Salmon Trips Potentially Affected (based on proportion of affected area)</b>	0.000	0.070	0.000	0.000	0.000	0.000	0.000	0.000
<b>Maximum Number of Salmon Trips Potentially Affected</b>	0	9	0	0	0	0	0	0
<b>Percent of Maximum Number of Salmon Trips Potentially Affected</b>	0.00%	0.31%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
<b>Recreational Rockfish Area Potentially Affected (sq. mi.)</b>	0.0000	0.8441	0.0000	3.0678	1.4202	0.0000	0.0000	0.0000
<b>Percent of Total Recreational Rockfish Area Potentially Affected</b>	0.00%	0.26%	0.00%	0.96%	0.44%	0.00%	0.00%	0.00%
<b>Recreational Rockfish Trips Potentially Affected (based on proportion of affected area)</b>	0.000	8.954	0.000	4.401	2.460	0.000	0.000	0.000
<b>Maximum Number of Rockfish Trips Potentially Affected</b>	0	44	0	6	6	0	0	0
<b>Percent of Maximum Number of Rockfish Trips Potentially Affected</b>	0.00%	2.63%	0.00%	0.36%	0.36%	0.00%	0.00%	0.00%

**"Intertidal" MPAs**

**Recreational Fishing Area Value Potentially Affected by MLPA Central Coast Package S (February 22, 2006 version)**  
**Prepared by Ecotrust**  
**February 24, 2006**

	<b>Julia Pfeffer Burns SMCA</b>	<b>Big Creek SMR</b>	<b>Piedras Blancas SMR</b>	<b>Piedras Blancas SMCA</b>	<b>Cambria SMP</b>	<b>Cambria SMR</b>	<b>Estero Bluff SMR</b>	<b>Morro Bay SMCA</b>
<b>Subregion</b>	Point Sur to San Martin	Point Sur to San Martin	San Martin to Point Estero	San Martin to Point Estero	San Martin to Point Estero	San Martin to Point Estero	Point Estero to Santa Maria River	Point Estero to Santa Maria River
<b>Type of MPA</b>	SMCA	SMR	SMR	SMCA	SMP	SMR	SMR	SMCA
<b>Level of Protection</b>	SMCA moderate	SMR	SMR	SMCA low	SMP low	SMR + SMCA low	SMR	SMCA low
<b>Recreational Salmon Area Potentially Affected (sq. mi.)</b>	0.0000	0.0000	0.0000	0.0000	0.0000	0.8535	0.0000	0.0000
<b>Percent of Total Recreational Salmon Area Potentially Affected</b>	0.00%	0.00%	0.00%	0.00%	0.00%	0.21%	0.00%	0.00%
<b>Recreational Salmon Trips Potentially Affected (based on proportion of affected area)</b>	0.000	0.000	0.000	0.000	0.000	0.791	0.000	0.000
<b>Maximum Number of Salmon Trips Potentially Affected</b>	0	0	0	0	0	1	0	0
<b>Percent of Maximum Number of Salmon Trips Potentially Affected</b>	0.00%	0.00%	0.00%	0.00%	0.00%	0.03%	0.00%	0.00%
<b>Recreational Rockfish Area Potentially Affected (sq. mi.)</b>	0.0000	0.0000	6.1010	2.7150	0.0000	2.1940	0.0000	0.0000
<b>Percent of Total Recreational Rockfish Area Potentially Affected</b>	0.00%	0.00%	1.90%	0.85%	0.00%	0.68%	0.00%	0.00%
<b>Recreational Rockfish Trips Potentially Affected (based on proportion of affected area)</b>	0.000	0.000	12.204	2.677	0.000	6.510	0.000	0.000
<b>Maximum Number of Rockfish Trips Potentially Affected</b>	0	0	16	6	0	14	0	0
<b>Percent of Maximum Number of Rockfish Trips Potentially Affected</b>	0.00%	0.00%	0.96%	0.36%	0.00%	0.84%	0.00%	0.00%

**"Intertidal" MPAs**

**Recreational Fishing Area Value Potentially Affected by MLPA Central Coast Package S (February 22, 2006 version)**  
**Prepared by Ecotrust**  
*February 24, 2006*

	<b>South Morro Bay SMRMA</b>	<b>East Morro Bay SMR</b>	<b>Point Buchon SMR</b>	<b>Point Buchon SMCA</b>	<b>Purisima SMR</b>	<b>Vandenberg SMR</b>
<b>Subregion</b>	Point Estero to Santa Maria River	Santa Maria River to Point Conception	Santa Maria River to Point Conception			
<b>Type of MPA</b>	SMRMA	SMR	SMR	SMCA	SMR	SMR
<b>Level of Protection</b>	SMCA high	SMR	SMR	SMCA high	SMR	SMR
<b>Recreational Salmon Area Potentially Affected (sq. mi.)</b>	0.0000	0.0000	2.2884	0.0000	0.0000	0.0000
<b>Percent of Total Recreational Salmon Area Potentially Affected</b>	0.00%	0.00%	0.57%	0.00%	0.00%	0.00%
<b>Recreational Salmon Trips Potentially Affected (based on proportion of affected area)</b>	0.000	0.000	3.046	0.000	0.000	0.000
<b>Maximum Number of Salmon Trips Potentially Affected</b>	0	0	4	0	0	0
<b>Percent of Maximum Number of Salmon Trips Potentially Affected</b>	0.00%	0.00%	0.14%	0.00%	0.00%	0.00%
<b>Recreational Rockfish Area Potentially Affected (sq. mi.)</b>	0.0000	0.0000	5.9189	3.4479	1.5474	0.0000
<b>Percent of Total Recreational Rockfish Area Potentially Affected</b>	0.00%	0.00%	1.84%	1.07%	0.48%	0.00%
<b>Recreational Rockfish Trips Potentially Affected (based on proportion of affected area)</b>	0.000	0.000	65.058	12.808	1.629	0.000
<b>Maximum Number of Rockfish Trips Potentially Affected</b>	0	0	106	72	4	0
<b>Percent of Maximum Number of Rockfish Trips Potentially Affected</b>	0.00%	0.00%	6.34%	4.31%	0.24%	0.00%

**"Intertidal" MPAs**

**Recreational Fishing Area Value Potentially Affected by MLPA Central Coast Package AC (January 6, 2006 version)**  
**Prepared by Ecotrust**  
**February 24, 2006**

	<b>TOTALS</b>	<b>Año Nuevo SMR</b>	<b>Ano Nuevo SMR</b>	<b>Sand Hill Bluff SMR</b>	<b>Elkhorn Slough SMR</b>	<b>Moro Coho Slough SMR</b>	<b>Soquel Canyon SMCA</b>	<b>Portuguese Ledge SMR</b>	<b>Monterey Shale Beds SMP</b>
<b>Subregion</b>		Pigeon Point to Capitola	Pigeon Point to Capitola	Pigeon Point to Capitola	Capitola to Monterey Breakwater	Monterey Breakwater to Point Sur			
<b>Type of MPA</b>		SMR	SMCA	SMR	SMR	SMR	SMCA	SMR	SMP
<b>Level of Protection</b>		SMCA moderate	SMCA low	SMR	SMR	SMR	SMCA moderate	SMR	SMP low
<b>Recreational Salmon Area Potentially Affected (sq. mi.)</b>	7.0803	0.4657	0.0000	0.0000	0.0000	0.0000	0.0000	4.7867	0.0000
<b>Percent of Total Recreational Salmon Area Potentially Affected</b>	1.77%	0.12%	0.00%	0.00%	0.00%	0.00%	0.00%	1.20%	0.00%
<b>Recreational Salmon Trips Potentially Affected (based on proportion of affected area)</b>	9.147	0.440	0.000	0.000	0.000	0.000	0.000	5.709	0.000
<b>Maximum Number of Salmon Trips Potentially Affected</b>	39	2	0	0	0	0	0	14	0
<b>Percent of Maximum Number of Salmon Trips Potentially Affected</b>	1.32%	0.07%	0.00%	0.00%	0.00%	0.00%	0.00%	0.48%	0.00%
<b>Recreational Rockfish Area Potentially Affected (sq. mi.)</b>	49.2606	1.9488	4.6457	0.0000	0.0000	0.0000	3.0848	2.1269	1.0815
<b>Percent of Total Recreational Rockfish Area Potentially Affected</b>	15.35%	0.61%	1.45%	0.00%	0.00%	0.00%	0.96%	0.66%	0.34%
<b>Recreational Rockfish Trips Potentially Affected (based on proportion of affected area)</b>	188.265	17.702	17.913	0.000	0.000	0.000	3.811	6.000	4.776
<b>Maximum Number of Rockfish Trips Potentially Affected</b>	479	28	36	0	0	0	4	6	33
<b>Percent of Maximum Number of Rockfish Trips Potentially Affected</b>	28.67%	1.68%	2.15%	0.00%	0.00%	0.00%	0.24%	0.36%	1.97%

**"Intertidal" MPAs**

	<b>Square Miles</b>	
<b>Total Recreational Salmon Grounds</b>	399.9675	
<b>Total Recreational Rockfish Grounds</b>	320.9006	
	<b>Salmon</b>	<b>Rockfish</b>
<b>Total Number of Trips</b>	2,944	1,671

SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

**Recreational Fishing Area Value Potentially Affected by MLPA Central Coast Package AC (January 6, 2006 version)**  
**Prepared by Ecotrust**  
**February 24, 2006**

	<b>Edward F. Ricketts SMR</b>	<b>Hopkins SMR</b>	<b>Pacific Grove SMCA</b>	<b>Cypress Pinnacles SMR</b>	<b>Carmel Bay SMP</b>	<b>Point Lobos SMR</b>	<b>Point Lobos SMCA</b>	<b>Big Sur SMR</b>
<b>Subregion</b>	Monterey Breakwater to Point Sur	Monterey Breakwater to Point Sur	Monterey Breakwater to Point Sur	Monterey Breakwater to Point Sur	Monterey Breakwater to Point Sur	Monterey Breakwater to Point Sur	Monterey Breakwater to Point Sur	Point Sur to San Martin
<b>Type of MPA</b>	SMR	SMR	SMCA	SMR	SMP	SMR	SMCA	SMR
<b>Level of Protection</b>	SMR	SMR	SMCA low	SMR	SMP low	SMR	SMCA moderate	SMR
<b>Recreational Salmon Area Potentially Affected (sq. mi.)</b>	0.3137	0.0533	0.0000	0.1127	0.0000	0.0000	0.0000	0.0000
<b>Percent of Total Recreational Salmon Area Potentially Affected</b>	0.08%	0.01%	0.00%	0.03%	0.00%	0.00%	0.00%	0.00%
<b>Recreational Salmon Trips Potentially Affected (based on proportion of affected area)</b>	1.166	0.200	0.000	0.132	0.000	0.000	0.000	0.000
<b>Maximum Number of Salmon Trips Potentially Affected</b>	6	4	0	9	0	0	0	0
<b>Percent of Maximum Number of Salmon Trips Potentially Affected</b>	0.20%	0.14%	0.00%	0.31%	0.00%	0.00%	0.00%	0.00%
<b>Recreational Rockfish Area Potentially Affected (sq. mi.)</b>	1.1419	0.1531	0.0000	0.9737	0.0000	2.4977	1.8360	0.2814
<b>Percent of Total Recreational Rockfish Area Potentially Affected</b>	0.36%	0.05%	0.00%	0.30%	0.00%	0.78%	0.57%	0.09%
<b>Recreational Rockfish Trips Potentially Affected (based on proportion of affected area)</b>	12.805	2.158	0.000	10.430	0.000	3.616	3.089	0.527
<b>Maximum Number of Rockfish Trips Potentially Affected</b>	41	30	0	44	0	6	6	2
<b>Percent of Maximum Number of Rockfish Trips Potentially Affected</b>	2.45%	1.80%	0.00%	2.63%	0.00%	0.36%	0.36%	0.12%

**"Intertidal" MPAs**

**Recreational Fishing Area Value Potentially Affected by MLPA Central Coast Package AC (January 6, 2006 version)**  
**Prepared by Ecotrust**  
**February 24, 2006**

	<b>Big Creek SMR</b>	<b>Big Creek SMCA</b>	<b>Piedras Blancas SMR</b>	<b>Cambria SMP</b>	<b>Cambria SMR</b>	<b>Morro Bay East SMR</b>	<b>Morro Bay South SMR</b>	<b>Point Buchon SMR</b>
<b>Subregion</b>	Point Sur to San Martin	Point Sur to San Martin	San Martin to Point Estero	San Martin to Point Estero	San Martin to Point Estero	Point Estero to Santa Maria River	Point Estero to Santa Maria River	Point Estero to Santa Maria River
<b>Type of MPA</b>	SMR	SMCA	SMR	SMP	SMR	SMR	SMR	SMR
<b>Level of Protection</b>	SMR	SMCA moderate	SMR	SMP low	SMCA low	SMR	SMR	SMCA high
<b>Recreational Salmon Area Potentially Affected (sq. mi.)</b>	0.0000	0.0000	0.0000	0.0000	1.0758	0.0000	0.0000	0.2723
<b>Percent of Total Recreational Salmon Area Potentially Affected</b>	0.00%	0.00%	0.00%	0.00%	0.27%	0.00%	0.00%	0.07%
<b>Recreational Salmon Trips Potentially Affected (based on proportion of affected area)</b>	0.000	0.000	0.000	0.000	0.997	0.000	0.000	0.503
<b>Maximum Number of Salmon Trips Potentially Affected</b>	0	0	0	0	1	0	0	3
<b>Percent of Maximum Number of Salmon Trips Potentially Affected</b>	0.00%	0.00%	0.00%	0.00%	0.03%	0.00%	0.00%	0.10%
<b>Recreational Rockfish Area Potentially Affected (sq. mi.)</b>	0.0000	0.0000	6.7086	0.0000	2.3481	0.0000	0.0000	3.5546
<b>Percent of Total Recreational Rockfish Area Potentially Affected</b>	0.00%	0.00%	2.09%	0.00%	0.73%	0.00%	0.00%	1.11%
<b>Recreational Rockfish Trips Potentially Affected (based on proportion of affected area)</b>	0.000	0.000	14.082	0.000	8.311	0.000	0.000	32.038
<b>Maximum Number of Rockfish Trips Potentially Affected</b>	0	0	17	0	14	0	0	120
<b>Percent of Maximum Number of Rockfish Trips Potentially Affected</b>	0.00%	0.00%	1.02%	0.00%	0.84%	0.00%	0.00%	7.18%

**"Intertidal" MPAs**

**Recreational Fishing Area Value Potentially Affected by MLPA Central Coast Package AC (January 6, 2006 version)**  
**Prepared by Ecotrust**  
*February 24, 2006*

	<i>Point Buchon SMCA</i>	<i>Point Sal SMR</i>	<i>Purisima Point SMR</i>	<i>Purisima Point SMCA</i>	<i>Arguello Promontory SMR</i>	<i>Boathouse SMCA</i>
<b>Subregion</b>	Point Estero to Santa Maria River	Santa Maria River to Point Conception				
<b>Type of MPA</b>	SMCA	SMR	SMR	SMCA	SMR	SMCA
<b>Level of Protection</b>	SMCA high	SMR	SMR	SMCA low	SMR	SMCA low
<b>Recreational Salmon Area Potentially Affected (sq. mi.)</b>	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Percent of Total Recreational Salmon Area Potentially Affected</b>	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
<b>Recreational Salmon Trips Potentially Affected (based on proportion of affected area)</b>	0.000	0.000	0.000	0.000	0.000	0.000
<b>Maximum Number of Salmon Trips Potentially Affected</b>	0	0	0	0	0	0
<b>Percent of Maximum Number of Salmon Trips Potentially Affected</b>	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
<b>Recreational Rockfish Area Potentially Affected (sq. mi.)</b>	5.6134	6.9385	4.3259	0.0000	0.0000	0.0000
<b>Percent of Total Recreational Rockfish Area Potentially Affected</b>	1.75%	2.16%	1.35%	0.00%	0.00%	0.00%
<b>Recreational Rockfish Trips Potentially Affected (based on proportion of affected area)</b>	32.654	13.381	4.971	0.000	0.000	0.000
<b>Maximum Number of Rockfish Trips Potentially Affected</b>	72	15	5	0	0	0
<b>Percent of Maximum Number of Rockfish Trips Potentially Affected</b>	4.31%	0.90%	0.30%	0.00%	0.00%	0.00%

**"Intertidal" MPAs**

**Summary of Recreational Fishing Area Value Potentially Affected by  
MLPA Central Coast MPA Packages  
Prepared by Ecotrust  
Revised February 24, 2006**

**Table 1: Recreational salmon**

	9-Feb-06			22-Feb-06	6-Jan-06
	Package1	Package 2	Package 3	Package S	Package AC
Recreational Salmon Area Affected (Sq. mi.)	0.0543	9.6816	3.7232	4.5147	7.0803
Percent of Total Recreational Salmon Area Affected	0.01%	2.42%	0.93%	1.13%	1.77%
Recreational Salmon Trips Affected (Based on Proportion of Affected Area)	0.2039	25.372	18.681	12.352	9.147
Maximum Number of Salmon Trips Affected	4	79	69	30	39
Percent of Maximum Number of Salmon Trips Affected	0.14%	2.68%	2.34%	1.02%	1.32%

**Table 2: Recreational rockfish**

	9-Feb-06			22-Feb-06	6-Jan-06
	Package1	Package 2	Package 3	Package S	Package AC
Recreational Rockfish Area Affected (Sq. mi.)	17.5803	43.5161	42.9097	37.8847	49.2606
Percent of Total Recreational Rockfish Area Affected	5.48%	13.56%	13.37%	11.81%	15.35%
Recreational Rockfish Trips Affected (Based on Proportion of Affected Area)	90.3383	191.166	176.000	156.033	188.265
Maximum Number of Rockfish Trips Affected	269	487	479	351	479
Percent of Maximum Number of Rockfish Trips Affected	16.10%	29.14%	28.67%	21.01%	28.67%

	Square Miles
Total Recreational Salmon Grounds	399.9675
Total Recreational Rockfish Grounds	320.9006

	Salmon	Rockfish
Total Number of Trips	2,944	1,671