

Locality Map



Legend

- Ports
- South Coast Study Region Boundary
- Pacific Sardine Landings (Total lbs)**
 - 1 - 5199631
 - 5199632 - 17155734
 - 17155735 - 43688844
 - 43688845 - 91387620
 - 91387621 - 156289632

Disclaimer:


Data presented here has been extracted from the CDFG Commercial Fisheries Information System (CFIS) and include approximate locations of where species have been caught as reported by processors. Inaccuracies have been identified within this dataset, thus information provided here should be considered an approximation of where fisheries occur. Data with higher precision and accuracy collected by Ecotrust will be available in the fall of 2008.



Marine Life Protection Act Initiative

Projection Information:

Name: NAD 1983 California Teale Albers
 Projection: Albers
 Datum: North American 1983




Data Sources :

Landing Receipt Data : California Department of Fish and Game - Commercial Fisheries Information System (CFIS); 1998 - 2007

Version: 1.1

Printing Date: Sept 05, 2008

Map 5.4 - 1a



Locality Map



Legend

- Ports
- South Coast Study Region Boundary
- Mackerel and Anchovy Landings (Total lbs)**
- 1 - 787866
- 787867 - 2752065
- 2752066 - 9025039
- 9025040 - 28061213
- 28061214 - 44747791

Disclaimer:


Data presented here has been extracted from the CDFG Commercial Fisheries Information System (CFIS) and include approximate locations of where species have been caught as reported by processors. Inaccuracies have been identified within this dataset, thus information provided here should be considered an approximation of where fisheries occur. Data with higher precision and accuracy collected by Ecotrust will be available in the fall of 2008.



Marine Life Protection Act Initiative

Projection Information:

Name: NAD 1983 California Teale Albers
 Projection: Albers
 Datum: North American 1983




Data Sources :

Landing Receipt Data : California Department of Fish and Game - Commercial Fisheries Information System (CFIS); 1998 - 2007

Version: 1.1

Printing Date: Sept 05, 2008

Map 5.4 - 1b



Locality Map



Legend

- Ports
- South Coast Study Region Boundary
- Nearshore Rockfish and Cabezon Landings (Total lbs)**
- 1 - 2648
- 2649 - 7515
- 7516 - 14292
- 14293 - 35701
- 35702 - 163227

Disclaimer:


Data presented here has been extracted from the CDFG Commercial Fisheries Information System (CFIS) and include approximate locations of where species have been caught as reported by processors. Inaccuracies have been identified within this dataset, thus information provided here should be considered an approximation of where fisheries occur. Data with higher precision and accuracy collected by Ecotrust will be available in the fall of 2008.



Marine Life Protection Act Initiative

Projection Information:

Name: NAD 1983 California Teale Albers
 Projection: Albers
 Datum: North American 1983




Data Sources :

Landing Receipt Data : California Department of Fish and Game - Commercial Fisheries Information System (CFIS); 1998 - 2007

Version: 1.1
 Printing Date: Sept 05, 2008

Map 5.4 - 1c



Locality Map



Legend

- Ports
- South Coast Study Region Boundary
- California Sheephead Landings (Total lbs)**
 - 3 - 6508
 - 6509 - 20856
 - 20857 - 38449
 - 38450 - 66155
 - 66156 - 147760

Disclaimer:


Data presented here has been extracted from the CDFG Commercial Fisheries Information System (CFIS) and include approximate locations of where species have been caught as reported by processors. Inaccuracies have been identified within this dataset, thus information provided here should be considered an approximation of where fisheries occur. Data with higher precision and accuracy collected by EcoTrust will be available in the fall of 2008.



Marine Life Protection Act Initiative

Projection Information:

Name: NAD 1983 California Teale Albers
 Projection: Albers
 Datum: North American 1983




Data Sources :

Landing Receipt Data : California Department of Fish and Game - Commercial Fisheries Information System (CFIS); 1998 - 2007

Version: 1.1

Printing Date: Sept 05, 2008

Map 5.4 - 1d



Locality Map



Legend

- Ports
- South Coast Study Region Boundary
- California Halibut Trawl density Value**
- High : 1.44998
- Low : 0

Disclaimer:


Data presented here has been extracted from the CDF Commercial Fisheries Information System (CFIS) and include approximate locations of where species have been caught as reported by California halibut commercial trawl fishermen. Inaccuracies have been identified within this dataset, thus information provided here should be considered an approximation of where fisheries occur.



Marine Life Protection Act Initiative

Projection Information:

Name: NAD 1983 California Teale Albers
 Projection: Albers
 Datum: North American 1983




Data Sources :

Trawl Logbook Data : California Department of Fish and Game - Commercial Fisheries Information System (CFIS); 1998 - 2007

Version: 1.1

Printing Date: Sept 05, 2008

Map 5.4 - 1e



Locality Map



Legend

- ⚓ Ports
- South Coast Study Region Boundary
- Sharks and Skates Landings (Total lbs)
 - 2 - 11032
 - 11033 - 34309
 - 34310 - 80569
 - 80570 - 209921
 - 209922 - 493527

Disclaimer:


Data presented here has been extracted from the CDFG Commercial Fisheries Information System (CFIS) and include approximate locations of where species have been caught as reported by processors. Inaccuracies have been identified within this dataset, thus information provided here should be considered an approximation of where fisheries occur. Data with higher precision and accuracy collected by Ecotrust will be available in the fall of 2008.



Marine Life Protection Act Initiative

Projection Information:

Name: NAD 1983 California Teale Albers
 Projection: Albers
 Datum: North American 1983




Data Sources :

Landing Receipt Data : California Department of Fish and Game - Commercial Fisheries Information System (CFIS); 1998 - 2007

Version: 1.1
 Printing Date: Sept 05, 2008

Map 5.4 - 1f



Locality Map



Legend

- ⚓ Ports
- South Coast Study Region Boundary
- Swordfish Landings (Total lbs)
 - 3 - 16366
 - 16367 - 47187
 - 47188 - 87730
 - 87731 - 154159
 - 154160 - 302717

Disclaimer:


Data presented here has been extracted from the CDFG Commercial Fisheries Information System (CFIS) and include approximate locations of where species have been caught as reported by processors. Inaccuracies have been identified within this dataset, thus information provided here should be considered an approximation of where fisheries occur. Data with higher precision and accuracy collected by Ecotrust will be available in the fall of 2008.



Marine Life Protection Act Initiative

Projection Information:

Name: NAD 1983 California Teale Albers
 Projection: Albers
 Datum: North American 1983




Data Sources :

Landing Receipt Data : California Department of Fish and Game - Commercial Fisheries Information System (CFIS); 1998 - 2007

Version: 1.1

Printing Date: Sept 05, 2008

Map 5.4 - 1g



Legend

- Ports
- South Coast Study Region Boundary**
- White Seabass Landings (Total lbs)**
 - 6 - 11893
 - 11894 - 42014
 - 42015 - 86679
 - 86680 - 257558
 - 257559 - 396745


Disclaimer:
Data presented here has been extracted from the CDFG Commercial Fisheries Information System (CFIS) and include approximate locations of where species have been caught as reported by processors. Inaccuracies have been identified within this dataset, thus information provided here should be considered an approximation of where fisheries occur. Data with higher precision and accuracy collected by Ecotrust will be available in the fall of 2008.



Marine Life Protection Act Initiative

Projection Information:

Name: NAD 1983 California Teale Albers
Projection: Albers
Datum: North American 1983




Data Sources :

Landing Receipt Data : California Department of Fish and Game - Commercial Fisheries Information System (CFIS); 1998 - 2007

Version: 1.1
Printing Date: Sept 05, 2008

Map 5.4 - 1h



Locality Map



Legend

- Ports
- South Coast Study Region Boundary
- Dover Sole, Thornyhead, and Sablefish Landings (Total lbs)**
 - 3 - 9829
 - 9830 - 35809
 - 35810 - 85830
 - 85831 - 180527
 - 180528 - 1195916

Disclaimer:


Data presented here has been extracted from the CDFG Commercial Fisheries Information System (CFIS) and include approximate locations of where species have been caught as reported by processors. Inaccuracies have been identified within this dataset, thus information provided here should be considered an approximation of where fisheries occur. Data with higher precision and accuracy collected by Ecotrust will be available in the fall of 2008.



Marine Life Protection Act Initiative

Projection Information:

Name: NAD 1983 California Teale Albers
 Projection: Albers
 Datum: North American 1983




Data Sources :

Landing Receipt Data : California Department of Fish and Game - Commercial Fisheries Information System (CFIS); 1998 - 2007

Version: 1.1

Printing Date: Sept 05, 2008

Map 5.4 - 1i



Locality Map



Legend


- Ports
- South Coast Study Region Boundary
- Pacific Bonito Landings (Total lbs)**
- 7 - 16168
- 16169 - 58402
- 58403 - 218529
- 218530 - 478159
- 478160 - 1033211

Disclaimer:
 Data presented here has been extracted from the CDFG Commercial Fisheries Information System (CFIS) and include approximate locations of where species have been caught as reported by processors. Inaccuracies have been identified within this dataset, thus information provided here should be considered an approximation of where fisheries occur. Data with higher precision and accuracy collected by Ecotrust will be available in the fall of 2008.




Marine Life Protection Act Initiative

Projection Information:
 Name: NAD 1983 California Teale Albers
 Projection: Albers
 Datum: North American 1983



Data Sources :
 Landing Receipt Data : California Department of Fish and Game - Commercial Fisheries Information System (CFIS); 1998 - 2007

Version: 1.1
Printing Date: Sept 05, 2008
Map 5.4 - 1j



Locality Map



Legend

- Ports
- South Coast Study Region Boundary
- Total Spiny Lobsters Retained (2000-2007)**
- 2 - 12390
- 12391 - 45284
- 45285 - 78547
- 78548 - 134392
- 134393 - 616626

Disclaimer:


Data presented here have been extracted from commercial logbook information compiled by CDFG and include approximate locations of where species have been caught as reported by fishermen. Inaccuracies have been identified within this dataset, thus information provided here should be considered an approximation of where fisheries occur. Data with higher precision and accuracy collected by Ecotrust will be available in the fall of 2008.



Marine Life Protection Act Initiative

Projection Information:

Name: NAD 1983 California Teale Albers
 Projection: Albers
 Datum: North American 1983




Data Sources :

Commercial Logbook Data : California Department of Fish and Game - Commercial Logbook data; 2000 - 2007

Version: 1.1

Printing Date: Sept 05, 2008

Map 5.4 - 1k



Locality Map



Legend

- Ports
- South Coast Study Region Boundary**
- Market Squid (Total Tons)**
- 1 - 292
- 293 - 905
- 906 - 1944
- 1945 - 3943
- 3944 - 8511

Disclaimer:


Data presented here have been extracted from commercial logbook information compiled by CDFG and include approximate locations of where species have been caught as reported by fishermen. Inaccuracies have been identified within this dataset, thus information provided here should be considered an approximation of where fisheries occur. Data with higher precision and accuracy collected by EcoTrust will be available in the fall of 2008.



Marine Life Protection Act Initiative

Projection Information:

Name: NAD 1983 California Teale Albers
 Projection: Albers
 Datum: North American 1983




Data Sources :

Commercial Logbook Data : California Department of Fish and Game - Commercial Logbooks data; 2000 - 2007

Version: 1.1
Printing Date: Sept 05, 2008

Map 5.4 - 11



Locality Map



Legend

- Ports
- South Coast Study Region Boundary
- Red Urchin (Total lbs)**
 - 200 - 296638
 - 296639 - 1016374
 - 1016375 - 2299955
 - 2299956 - 5765274
 - 5765275 - 13427551

Disclaimer:


Data presented here have been extracted from commercial logbook information compiled by CDFG and include approximate locations of where species have been caught as reported by fishermen. Inaccuracies have been identified within this dataset, thus information provided here should be considered an approximation of where fisheries occur. Data with higher precision and accuracy collected by Ecotrust will be available in the fall of 2008.



Marine Life Protection Act Initiative

Projection Information:

Name: NAD 1983 California Teale Albers
 Projection: Albers
 Datum: North American 1983




Data Sources :

Commercial Logbook Data : California Department of Fish and Game - Commercial Logbooks data; 1998 - 2007

Version: 1.1

Printing Date: Sept 05, 2008

Map 5.4 - 1m



Locality Map



Legend

- Ports
- South Coast Study Region Boundary
- Spot Prawn Landings (Total lbs)**
- 5 - 6124
- 6125 - 24010
- 24011 - 72391
- 72392 - 141404
- 141405 - 268682

Disclaimer:


Data presented here has been extracted from the CDFG Commercial Fisheries Information System (CFIS) and include approximate locations of where species have been caught as reported by processors. Inaccuracies have been identified within this dataset, thus information provided here should be considered an approximation of where fisheries occur. Data with higher precision and accuracy collected by EcoTrust will be available in the fall of 2008.



Marine Life Protection Act Initiative

Projection Information:

Name: NAD 1983 California Teale Albers
 Projection: Albers
 Datum: North American 1983




Data Sources :

Landing Receipt Data : California Department of Fish and Game - Commercial Fisheries Information System (CFIS); 1998 - 2007

Version: 1.1

Printing Date: Sept 05, 2008

Map 5.4 - 1n



Locality Map



Legend

- Ports
- South Coast Study Region Boundary
- Ridgeback Prawn Landings (Total lbs)**
 - 4 - 32048
 - 32049 - 165666
 - 165667 - 446730
 - 446731 - 699736
 - 699737 - 1696503

Disclaimer:


Data presented here has been extracted from the CDFG Commercial Fisheries Information System (CFIS) and include approximate locations of where species have been caught as reported by processors. Inaccuracies have been identified within this dataset, thus information provided here should be considered an approximation of where fisheries occur. Data with higher precision and accuracy collected by Ecotrust will be available in the fall of 2008.



Marine Life Protection Act Initiative

Projection Information:

Name: NAD 1983 California Teale Albers
 Projection: Albers
 Datum: North American 1983



Data Sources :

Landing Receipt Data : California Department of Fish and Game - Commercial Fisheries Information System (CFIS); 1998 - 2007

Version: 1.1

Printing Date: Sept 05, 2008

Map 5.4 - 1o