

Locality Map



**Legend**

- Ports
- South Coast Study Region Boundary
- Kelp Bass Mean Catch per Unit Effort (CPUE)**
  - 0.03 - 1.04
  - 1.05 - 2.51
  - 2.52 - 5.31
  - 5.32 - 12.33
  - 12.34 - 22.50

Disclaimer:


Catch Per Unit Effort (CPUE) was calculated as the number of fish caught per visit to each 1' by 1' grid cell (microblock) from 2005 to 2007. These data were collected from Commercial Passenger Fishing Vessels (CPFV) by onboard fishery observers conducting the California Recreational Fisheries Survey (CRFS). Values represent catch for observed anglers on sampled trips.



Marine Life Protection Act Initiative

**Projection Information:**

Name: NAD 1983 California Teale Albers  
 Projection: Albers  
 Datum: North American 1983




**Data Sources :**

California Recreational Fisheries Survey 2005 - 2007

**Version: 1.1**

**Printing Date: Aug 29, 2008**

**Map 5.6 - 1a**



**Legend**

- Ports
- South Coast Study Region Boundary
- Barred Sandbass Mean CPUE**
- 0.01 - 0.96
- 0.97 - 2.56
- 2.57 - 4.67
- 4.68 - 8.33
- 8.34 - 23.27

Disclaimer:


Catch Per Unit Effort (CPUE) was calculated as the number of fish caught per visit to each 1' by 1' grid cell (microblock) from 2005 to 2007. These data were collected from Commercial Passenger Fishing Vessels (CPFV) by onboard fishery observers conducting the California Recreational Fisheries Survey (CRFS). Values represent catch for observed anglers on sampled trips.



Marine Life Protection Act Initiative

**Projection Information:**

Name: NAD 1983 California Teale Albers  
 Projection: Albers  
 Datum: North American 1983




**Data Sources :**

California Recreational Fisheries Survey 2005 - 2007

**Version: 1.1**

**Printing Date: Aug 29, 2008**

**Map 5.6 - 1b**



Locality Map



**Legend**

- Ports
- South Coast Study Region Boundary
- Ocean Whitefish Mean Catch per Unit Effort (CPUE)**
  - 0.00 - 0.17
  - 0.18 - 0.58
  - 0.59 - 1.03
  - 1.04 - 2.57
  - 2.58 - 6.50

Disclaimer:


Catch Per Unit Effort (CPUE) was calculated as the number of fish caught per visit to each 1' by 1' grid cell (microblock) from 2005 to 2007. These data were collected from Commercial Passenger Fishing Vessels (CPFV) by onboard fishery observers conducting the California Recreational Fisheries Survey (CRFS). Values represent catch for observed anglers on sampled trips.



Marine Life Protection Act Initiative

**Projection Information:**

Name: NAD 1983 California Teale Albers  
 Projection: Albers  
 Datum: North American 1983




**Data Sources :**

California Recreational Fisheries Survey 2005 - 2007

**Version: 1.1**

**Printing Date: Aug 29, 2008**

**Map 5.6 - 1c**



Locality Map



**Legend**

- Ports
- South Coast Study Region Boundary
- White Seabass Mean Catch per Unit Effort (CPUE)**
  - 0.00 - 0.02
  - 0.03 - 0.22
  - 0.23 - 0.56
  - 0.57 - 1.33
  - 1.34 - 1.83

Disclaimer:


Catch Per Unit Effort (CPUE) was calculated as the number of fish caught per visit to each 1' by 1' grid cell (microblock) from 2005 to 2007. These data were collected from Commercial Passenger Fishing Vessels (CPFV) by onboard fishery observers conducting the California Recreational Fisheries Survey (CRFS). Values represent catch for observed anglers on sampled trips.



Marine Life Protection Act Initiative

**Projection Information:**

Name: NAD 1983 California Teale Albers  
 Projection: Albers  
 Datum: North American 1983



**Data Sources :**

California Recreational Fisheries Survey 2005 - 2007

**Version: 1.1**

**Printing Date: Aug 29, 2008**

**Map 5.6 - 1d**

# Commercial Passenger Fishing Vessel (CPFV) Landings Mean Surfperch (aggregated) Catch Per Trip (2005-2007)



## Locality Map



### Legend

- Ports
- South Coast Study Region Boundary
- Surfperch Mean (aggregated) Catch per Unit Effort (CPUE)**
  - 0.05 - 0.08
  - 0.09 - 0.13
  - 0.14 - 0.25
  - 0.26 - 0.50
  - 0.51 - 1.49

### Disclaimer:

Catch Per Unit Effort (CPUE) was calculated as the number of fish caught per visit to each 1' by 1' grid cell (microblock) from 2005 to 2007. These data were collected from Commercial Passenger Fishing Vessels (CPFV) by onboard fishery observers conducting the California Recreational Fisheries Survey (CRFS). Values represent catch for observed anglers on sampled trips.



Marine Life Protection Act Initiative

### Projection Information:

Name: NAD 1983 California Teale Albers  
 Projection: Albers  
 Datum: North American 1983



0 5 10 20 Miles  
 1:1,750,000


### Data Sources :

California Recreational Fisheries Survey 2005 - 2007

### Version: 1.1

Printing Date: Aug 29, 2008

Map 5.6 - 1e



Locality Map



Legend

Ports

South Coast Study Region Boundary

California Sheephead Mean Catch per Unit Effort (CPUE)

- 0.03 - 0.25
- 0.26 - 0.58
- 0.59 - 1.12
- 1.13 - 2.28
- 2.29 - 5.22

Disclaimer:


Catch Per Unit Effort (CPUE) was calculated as the number of fish caught per visit to each 1' by 1' grid cell (microblock) from 2005 to 2007. These data were collected from Commercial Passenger Fishing Vessels (CPFV) by onboard fishery observers conducting the California Recreational Fisheries Survey (CRFS). Values represent catch for observed anglers on sampled trips.



Marine Life Protection Act Initiative

Projection Information:

Name: NAD 1983 California Teale Albers  
 Projection: Albers  
 Datum: North American 1983




Data Sources :

California Recreational Fisheries Survey 2005 - 2007

Version: 1.1

Printing Date: Aug 29, 2008

Map 5.6 - 1f



Locality Map



**Legend**

⚓ Ports

**South Coast Study Region Boundary**



**Halibut Mean Catch per Unit Effort (CPUE)**

- 0.01 - 0.07
- 0.08 - 0.14
- 0.15 - 0.25
- 0.26 - 0.41
- 0.42 - 0.67

Disclaimer:


Catch Per Unit Effort (CPUE) was calculated as the number of fish caught per visit to each 1' by 1' grid cell (microblock) from 2005 to 2007. These data were collected from Commercial Passenger Fishing Vessels (CPFV) by onboard fishery observers conducting the California Recreational Fisheries Survey (CRFS). Values represent catch for observed anglers on sampled trips.



Marine Life Protection Act Initiative

**Projection Information:**

Name: NAD 1983 California Teale Albers  
 Projection: Albers  
 Datum: North American 1983




**Data Sources :**

California Recreational Fisheries Survey 2005 - 2007

**Version: 1.1**

**Printing Date: Aug 29, 2008**

**Map 5.6 - 1g**



Locality Map



**Legend**

- Ports
- South Coast Study Region Boundary
- Rockfish Mean (aggregated) Catch per Unit Effort (CPUE)**
  - 0.01 - 0.26
  - 0.27 - 0.57
  - 0.58 - 1.01
  - 1.02 - 1.95
  - 1.96 - 5.00

Disclaimer:


Catch Per Unit Effort (CPUE) was calculated as the number of fish caught per visit to each 1' by 1' grid cell (microblock) from 2005 to 2007. These data were collected from Commercial Passenger Fishing Vessels (CPFV) by onboard fishery observers conducting the California Recreational Fisheries Survey (CRFS). Values represent catch for observed anglers on sampled trips.



Marine Life Protection Act Initiative

**Projection Information:**

Name: NAD 1983 California Teale Albers  
 Projection: Albers  
 Datum: North American 1983




**Data Sources :**

California Recreational Fisheries Survey 2005 - 2007

**Version: 1.1**

**Printing Date: Aug 29, 2008**

**Map 5.6 - 1h**



Locality Map



**Legend**

⚓ Ports

South Coast Study Region Boundary

Scorpionfish Mean Catch per Unit Effort (CPUE)

- 0.03 - 1.33
- 1.34 - 4.14
- 4.15 - 8.95
- 8.96 - 15.20
- 15.21 - 24.04

Disclaimer:


Catch Per Unit Effort (CPUE) was calculated as the number of fish caught per visit to each 1' by 1' grid cell (microblock) from 2005 to 2007. These data were collected from Commercial Passenger Fishing Vessels (CPFV) by onboard fishery observers conducting the California Recreational Fisheries Survey (CRFS). Values represent catch for observed anglers on sampled trips.



Marine Life Protection Act Initiative

**Projection Information:**

Name: NAD 1983 California Teale Albers  
 Projection: Albers  
 Datum: North American 1983




**Data Sources :**

California Recreational Fisheries Survey 2005 - 2007

**Version: 1.1**

**Printing Date: Aug 29, 2008**

**Map 5.6 - 1i**



Locality Map



**Legend**

- Ports
- South Coast Study Region Boundary

**Cabezon Mean Catch per Unit Effort (CPUE)**

- 0.01 - 0.04
- 0.05 - 0.10
- 0.11 - 0.22
- 0.23 - 0.49
- 0.50 - 0.69

Disclaimer:


Catch Per Unit Effort (CPUE) was calculated as the number of fish caught per visit to each 1' by 1' grid cell (microblock) from 2005 to 2007. These data were collected from Commercial Passenger Fishing Vessels (CPFV) by onboard fishery observers conducting the California Recreational Fisheries Survey (CRFS). Values represent catch for observed anglers on sampled trips.



Marine Life Protection Act Initiative

**Projection Information:**

Name: NAD 1983 California Teale Albers  
 Projection: Albers  
 Datum: North American 1983




**Data Sources :**

California Recreational Fisheries Survey 2005 - 2007

**Version: 1.1**

**Printing Date: Aug 29, 2008**

**Map 5.6 - 1j**



Locality Map



**Legend**

⚓ Ports

**South Coast Study Region Boundary**



**Lingcod Mean Catch per Unit Effort (CPUE)**

- 0.01 - 0.13
- 0.14 - 0.28
- 0.29 - 0.61
- 0.62 - 1.36
- 1.37 - 3.21

Disclaimer:


Catch Per Unit Effort (CPUE) was calculated as the number of fish caught per visit to each 1' by 1' grid cell (microblock) from 2005 to 2007. These data were collected from Commercial Passenger Fishing Vessels (CPFV) by onboard fishery observers conducting the California Recreational Fisheries Survey (CRFS). Values represent catch for observed anglers on sampled trips.



Marine Life Protection Act Initiative

**Projection Information:**

Name: NAD 1983 California Teale Albers  
 Projection: Albers  
 Datum: North American 1983




**Data Sources :**

California Recreational Fisheries Survey 2005 - 2007

**Version: 1.1**

**Printing Date: Aug 29, 2008**

**Map 5.6 - 1k**



### Legend

⚓ Ports

South Coast Study Region Boundary



Yellowtail Mean Catch per Unit Effort (CPUE)

- 0.03 - 1.04
- 1.05 - 2.51
- 2.52 - 5.31
- 5.32 - 12.33
- 12.34 - 22.50

Disclaimer:


Catch Per Unit Effort (CPUE) was calculated as the number of fish caught per visit to each 1' by 1' grid cell (microblock) from 2005 to 2007. These data were collected from Commercial Passenger Fishing Vessels (CPFV) by onboard fishery observers conducting the California Recreational Fisheries Survey (CRFS). Values represent catch for observed anglers on sampled trips.



Marine Life Protection Act Initiative

### Projection Information:

Name: NAD 1983 California Teale Albers  
 Projection: Albers  
 Datum: North American 1983



### Data Sources :

California Recreational Fisheries Survey 2005 - 2007

Version: 1.1

Printing Date: Aug 29, 2008

Map 5.6 - 11