

**ATK - FEDERAL PREMIUM AMMUNITION**  
**900 Ehlen Drive**  
**Anoka, MN 55303-7503**

Updated December 14, 2011

Phone: 1-800-322-2342  
 Email: [webteam@atk.com](mailto:webteam@atk.com)  
 Website: [www.federalpremium.com](http://www.federalpremium.com)



## 2012 Centerfire Products with Non-Lead Projectiles

CENTERFIRE RIFLE CARTRIDGES					
Load #	Caliber		Bullet weight (grains)	% lead content by weight	Unique Identifying Characteristics
<b>Federal Premium®, VITAL•SHOK® with Trophy Copper™ Bullet</b>					
P243TC1	243	Win	85	< 1 %	Copper bullet, dark green polymer tip, relief grooves in shank, FC headstamp
P2506TC1	25-06	Rem	100	< 1 %	Copper bullet, dark green polymer tip, relief grooves in shank, FC headstamp
P270TC1	270	Win	130	< 1 %	Copper bullet, dark green polymer tip, relief grooves in shank, FC headstamp
P270WSMTC1	270	WSM	130	< 1 %	Copper bullet, dark green polymer tip, relief grooves in shank, FC headstamp
P708TC2	7mm-08	Rem.	140	< 1 %	Copper bullet, dark green polymer tip, relief grooves in shank, FC headstamp
P280TC2	280	Rem.	140	< 1 %	Copper bullet, dark green polymer tip, relief grooves in shank, FC headstamp
P7RTC2	7mm	Rem. Mag	140	< 1 %	Copper bullet, dark green polymer tip, relief grooves in shank, FC headstamp
P7RTC3	7mm	Rem. Mag	150	< 1 %	Copper bullet, dark green polymer tip, relief grooves in shank, FC headstamp
P7WSMTC3	7mm	WSM	150	< 1 %	Copper bullet, dark green polymer tip, relief grooves in shank, FC headstamp
P308TC3	308	Win.	165	< 1 %	Copper bullet, dark green polymer tip, relief grooves in shank, FC headstamp
P308TC2	308	Win.	165	< 1 %	Copper bullet, dark green polymer tip, relief grooves in shank, FC headstamp
P3006TC2	30-06	Spring.	165	< 1 %	Copper bullet, dark green polymer tip, relief grooves in shank, FC headstamp
P3006TC1	30-06	Spring.	180	< 1 %	Copper bullet, dark green polymer tip, relief grooves in shank, FC headstamp
P300HTC1	300	H&H	180	< 1 %	Copper bullet, dark green polymer tip, relief grooves in shank, FC headstamp

P300WTC2	300	Win. Mag	165	< 1 %	Copper bullet, dark green polymer tip, relief grooves in shank, FC headstamp
P300WTC1	300	Win. Mag	180	< 1 %	Copper bullet, dark green polymer tip, relief grooves in shank, FC headstamp
P300WSMTC2	300	WSM	165	< 1 %	Copper bullet, dark green polymer tip, relief grooves in shank, FC headstamp
P300WSMTC1	300	WSM	180	< 1 %	Copper bullet, dark green polymer tip, relief grooves in shank, FC headstamp
P300WBTC1	300	Wthby. Ma	180	< 1 %	Copper bullet, dark green polymer tip, relief grooves in shank, FC headstamp
P300RUMTC1	300	RUM	180	< 1 %	Copper bullet, dark green polymer tip, relief grooves in shank, FC headstamp
P338FTC2	338	Federal	200	< 1 %	Copper bullet, dark green polymer tip, relief grooves in shank, FC headstamp
<b>Federal Premium ®, VITAL•SHOK® with Barnes Triple-Shock® X-Bullet (TSX)™ bullet</b>					
P223S	223 Rem.		55	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC Headstamp
P22250G	22-250 Rem		60	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC Headstamp
P243K	243 Win.		85	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC Headstamp
P6D	6 MM Rem.		85	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC Headstamp
P2506H	25-06 Rem.		100	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC Headstamp
P260C	260 Rem.		100	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC Headstamp
P270L	270 Win.		130	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC Headstamp
P270WSMD	270 WSM		130	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC Headstamp
P270WBC	270 Weatherby		130	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC Headstamp
P708C	7mm-08 Rem.		140	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC Headstamp
P280E	280 Rem.		140	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC Headstamp
P7RM	7mm Rem. Magr		140	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC Headstamp
P7RN	7mm Rem. Magr		160	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC Headstamp
P7WSMD	7mm WSM		160	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC Headstamp
P3030G	30-30 Win.		150	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC Headstamp
P308V	308 Win.		150	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC Headstamp
P308H	308 Win.		165	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC Headstamp
P3006AF	30-06 Spring.		165	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC Headstamp
P3006AE	30-06 Spring.		180	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC Headstamp
P300HB	300 H&H Magn		180	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC Headstamp
P300WR	300 Win. Magn		165	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC Headstamp
P300WP	300 Win. Magn		180	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC Headstamp
P300WSMG	300 WSM		165	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC Headstamp
P300WSMF	300 WSM		180	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC Headstamp
P300WBE	300 Wthby. Ma		180	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC Headstamp
P300RUMD	300 Rem. Ultra		180	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC Headstamp
P338FC	338 Federal		185	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC Headstamp

P338K	338 Win. Magn	225	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC Headstamp
-------	---------------	-----	-------	---

**Federal Premium®, V•SHOK®,SPEER® TNT® Green bullet \*CA CERTIFIED FOR USE ON APPROPRIATE NON-GAME SPECIES ONLY**

P204D	204 Ruger	32	< 1 %	Hollow point, FC Headstamp
P22D	22 Hornet	30	< 1 %	Hollow point, FC Headstamp
P223R	223 Rem	43	< 1 %	Hollow point, FC Headstamp
P222D	222 Rem	43	< 1 %	Hollow point, FC Headstamp
P22250D	22-250 Rem	43	< 1 %	Hollow point, FC Headstamp

**Federal Premium®, VITAL• SHOK®, Barnes® Tipped Triple-Shock™ X-Bullet™**

P270WSMF	270 WSM	110	<1%	Copper with blue polymer tip, 1 relief groove may be visible above neck, FC
P270Q	270 Win	110	<1%	Copper with blue polymer tip, 1 relief groove may be visible above neck, FC
P7RP	7 MM Rem Mag	110	<1%	Copper with blue polymer tip, 1 relief groove may be visible above neck, FC
P3006AQ	30-06 Win.	110	< 1 %	Copper with blue polymer tip, 1 relief groove may be visible above neck, FC
P300WSMK	300 WSM	130	<1%	Copper with blue polymer tip, 1 relief groove may be visible above neck, FC
P300WL	300 Win. Magn	130	<1%	Copper with blue polymer tip, 1 relief groove may be visible above neck, FC

**Federal Premium®, CAPE• SHOK®, Barnes® Triple Shock® X- Bullet™ (TSX) bullet**

P370C	370 Sako Magn	286	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC headstamp
P9362C	9.3X62 Mauser	286	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC headstamp
P9374C	9.3X74 R	286	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC headstamp
P375H	375 H&H Magn	300	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC headstamp
P416D	416 Rigby	400	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC headstamp
P416RB	416 Rem. Magn	400	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC headstamp
P458LA	458 Lott	500	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC headstamp
P458D	458 Win. Magn	500	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC headstamp
P470C	470 Nitro Expre	500	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC headstamp
P500NC	500 Nitro Expre	570	< 1 %	Copper, hollow point, relief groove may be visible above neck, FC headstamp

**Federal Premium®, VITAL • SHOK®,Barnes® MRX™ bullet**

P308W	308 Win.	180	< 1 %	Copper with blue polymer tip, relief groove may be visible above neck, FC headstamp
P3006AH	30-06 Spring.	180	< 1 %	Copper with blue polymer tip, relief groove may be visible above neck, FC headstamp
P300WX	300 Win. Magn	180	< 1 %	Copper with blue polymer tip, relief groove may be visible above neck, FC headstamp
P300WSMJ	300 WSM	180	< 1 %	Copper with blue polymer tip, relief groove may be visible above neck, FC headstamp



## Federal Premium Shotshell Slugs with Non-Lead Projectiles

<b>SHOTGUN SLUGS</b>					
Load #	Ga.	Length	Slug Weight (oz.)	% lead content by weight	Unique Identifying Characteristics
<b>Federal Premium®, VITAL•SHOK®, with Trophy Copper™ Sabot Slug</b>					
P151 TC	12	3 inch	300 grain	< 1 %	99% copper slug with pewter-grey polymer tip, white sabot visible
P152 TC	12	2 3/4 inch	300 grain	< 1 %	99% copper slug with pewter-grey polymer tip, white sabot visible
P209 TC	20	3 inch	275 grain	< 1 %	99% copper slug with pewter-grey polymer tip, white sabot visible
P208 TC	20	2 3/4 inch	275 grain	< 1 %	99% copper slug with pewter-grey polymer tip, white sabot visible
<b>Federal Premium®, VITAL•SHOK®, Barnes® Expander® Sabot Slug</b>					
P151XS	12	3	1	< 1 %	White 4 petal sabot visible, copper, hollow point, Made in USA headstamp
P152XS	12	2¾	¾	< 1 %	White 4 petal sabot visible, copper, hollow point, Made in USA headstamp
P150XS	12	2¾	1	< 1 %	White 4 petal sabot visible, copper, hollow point, Made in USA headstamp
P209XS	20	3	5/8	< 1 %	White 4 petal sabot visible, copper, hollow point, Made in USA headstamp
P208XS	20	2¾	5/8	< 1 %	White 4 petal sabot visible, copper, hollow point, Made in USA headstamp
<b>Federal Premium®, VITAL•SHOK®, Barnes® Expander® Tipped Sabot Slug</b>					
P151XT1	12	2¾	¾	< 1 %	White 4 petal sabot visible, copper, blue polymer tip, Made in USA headstamp
P152XT1	12	2¾	¾	< 1 %	White 4 petal sabot visible, copper, blue polymer tip, Made in USA headstamp
P209XT1	20	3	5/8	< 1 %	White 4 petal sabot visible, copper, blue polymer tip, Made in USA headstamp



**FEDERAL  
PREMIUM®**  
AMMUNITION

## Pistol Cartridges with Non-Lead Projectiles

PISTOL CARTRIDGES					
Load #		Caliber	Bullet Weight (grains)	% lead content by weight	Unique Identifying Characteristics
<b>Federal Premium®, VITAL• SHOK®, BARNES® Expander® bullet</b>					
P357XB1	357 Magnum		140	< 1 %	Hollow point, all copper visible interior of bullet nose, Nickel case, Federal headstamp
P41XB1	41 Rem. Magnum		180	< 1 %	Hollow point, all copper visible interior of bullet nose, Nickel case, Federal headstamp
P44XB1	44 Rem. Magnum		225	< 1 %	Hollow point, all copper visible interior of bullet nose, Nickel case, Federal headstamp
P454XB1	454 Casull		250	< 1 %	Hollow point, all copper visible interior of bullet nose, Nickel case, Federal headstamp
P460XB1	460 S&W		275	< 1 %	Hollow point, all copper visible interior of bullet nose, Nickel case, Federal headstamp
P480XB1	480 Ruger		275	< 1 %	Hollow point, all copper visible interior of bullet nose, Nickel case, Federal headstamp
P500XB1	500 S&W		275	< 1 %	Hollow point, all copper visible interior of bullet nose, Nickel case, Federal headstamp